



| | | | | | |
|---|----------|------------|------------|----------------------|---------|
| Material | N.A. | Mass | 2104 g | Scale | 1:1 |
| Surface treatment | N.A. | Part No. | CO24015 | | |
| Geometrical tolerance (ISO 2768-2) | | Class | K | Undimensioned bevels | 0.5x45° |
| Linear tolerance (ISO 2768-2) | | Class | m | Undimensioned radii | R 0.5 |
| 0.5 | >3+ | >6+ | >30+ | >120 | >400+ |
| +3 | 6 | 30 | 120 | +400 | 1000 |
| ±0.1 | ±0.1 | ±0.2 | ±0.3 | ±0.5 | ±0.8 |
| | | | | ±1.2 | ±2 |
| OPTO ENGINEERING | Designed | 04/05/2015 | Vasconetto | | |
| | Drawn | 20/07/2015 | Rodella | | |
| | Checked | | | | |
| | Date | | Name | | |
| Drawing No. | | DP 24015-C | | | Sheet |
| | | | | | 1/1 |
| <small>Secret and confidential - All rights reserved - No copy, dissemination or circulation is allowed unless specifically authorized in writing by OPTO ENGINEERING S.r.l. - Any violation shall be legally prosecuted.</small> | | | | | |